

DECO|VITA

PorcelainTile

FLOOR
WALL & TILES



Decovita set out on a journey to develop our highly diverse and quality products at affordable prices.

With our superior design and quality, we blend an optimum level of both traditional and modern looks. Created using the highest standards and latest technology in the ceramics industry, our products are now available in more than 50 countries including USA, UK, Germany, France, Spain.

Our finishes include Polished, Satin Matte, Textured Stone, Textured Wood, DRY Granule and Sugar Effect. We embellish these surfaces with Natural Stone, Wood, Concrete, Marble and Textile textures.

Our exclusive glazing technology protects our tiles against scratching and harsh chemicals such as bleach. We also offer three-dimensional surfaces with a natural stone texture. To preserve this natural look we have reduced the grout line from a standard 3mm, to 1mm with our high-calibration standards.


DECOVITA-USA INC.

**USA HEADQUARTERS &
VIRGINIA SALES and DISTRIBUTION CENTER**
45190 Prologis Plaza, Suite 190, Sterling, VA 20166
Office: (+1) 571 926 83 26

CALIFORNIA SALES and DISTRIBUTION CENTER
1623-1625 S. Sunkist St.
Anaheim, CA 92806
Office: (+1) 714 406 15 00

TEXAS SALES and DISTRIBUTION CENTER
5870 W. Fuqua Street Suite #100
Houston Texas, 77085
Office: (+1) 281 915-0884

E-mail: info@decovitausa.com
www.decovitausa.com




INDEX

USER GUIDE	6 - 7
ALPHABETICAL INDEX	9
COLLECTIONS INDEX	10 - 13
INDOOR COLLECTIONS	17 - 103
MOSAIC COLLECTIONS	107 - 125
BOOKMATCH COLLECTIONS	129 - 143
DECOVITA TEST POLICY	144
DECOVITA DECLARED VALUES	145
BOX / PALLET DETAILS	146
DISCLAIMER POLICY	148

GP
GLAZED
PORCELAIN


GLAZED
PORCELAIN TILES

 IN-HOUSE
DESIGN CENTER

 MORE THAN
2,500 DESIGNS

 R&D
OFFICE


 70 MILLION EURO
INVESTMENT

 PRODUCTION CAPACITY OF
100 MILLION SQF/YEAR

THICKNESS OPTIONS (NOMINAL)



NOMINAL SIZES



TECHNICAL INFORMATION

- 

GLAZED PORCELAIN TILE
- 

FLOOR TILE
- 

WALL TILE
- 

WATER ABSORPTION
≤ 0.5%
- 

FROST RESISTANT
- 

INKJET TECHNOLOGY
- 

ROTOCOLOR TECHNOLOGY
- 

MIN. GROUT JOINT
1 MM.
- 

RECTIFIED

PATTERN VARIATIONS

- V1

The least amount of shade and texture variation.


- V2

Light to moderate shade and texture variation within each carton.


- V3

High shade texture variation within each carton.


- V4

Very high shade and texture variation within each carton.



SLIP RESISTANCE VALUE

- R9

Inclination angle > 6° - 10° / low static friction
(Entrances, Bathrooms, Kitchens)
- R10

Inclination angle > 10° - 19° / normal static friction
(Storage Areas)
- R11

Inclination angle > 19° - 27° / raised static friction
(Restaurants, Dining Halls)
- R12

Inclination angle > 27° - 35° / high static friction
(Industrial Kitchens, Firefighting Buildings)
- R13

Inclination angle > 35° / very high static friction
(Especially on slopes and high floor wear areas)

R9 products are recommended for indoor use.
R10, R11, R12, R13 products are recommended for outdoor use.





Thickness

Series

CALACATTA SUAVE



Features

24"x48" **POLISHED** 309002500

SKU Number

Finish

Size Option

What is Relief?
Tiles with various indentations and protrusions on the surface.



Size Option

Face Count

Other Available Product Collections

15 faces

24"x48"

Bookmatch available

Face Variations



Technical Information



" Nature inspired us "

A range of natural textures and colors featuring surprising realism that also offers all the technical and practical advantages.



ALPHABETICAL INDEX

INDOOR collection		
A	ANTIQUE	17
B	BIANCO CARRARA	19
	BIRMINGHAM	21
	BLUESTONE	23
	BURNING WOOD	25
C	CALABRIA	27
	CALACATTA	29-31
	CALACATTA GLAM	33
	CALACATTA SUAVE	35
	CEMENT	37
	CLAY	39
	CORE	41
	CROSSOVER	43
D	DOLOMITE	45
E	EPIRO	47
F	FULL BLACK	49
	FULL WHITE	51
G	GRIGIO	53
M	MARMO METALLO	55
	MIRA	57
N	NAMBIA	59
O	ONYX ALAVASTRO	61
	ONYX CASPIAN	63
	ONYX GOLDEN CLOUD	65
	ONYX MOON	67
	ONYX OPERA	69
	ONYX OSTRAL	71
	ONYX PEARL	73
	ONYX SMOKE	75
	ORLANDO	77
P	PANTHEON	79
	PIETRA	81
	PIETROSA MARBLE	83
	PIETROSA SAND	85
S	SAHARA NOIR	87
	SCARLET	89
	SERPEGIANTE	91
	SOFTWOOD	93
	STATUARIO	95
	STRATOS	97
T	TERRE	99
V	VOLAKAS	101
W	WINDSOR	103

BOOKMATCH collection		
C	CAFFE BOOKMATCH	129
N	NEW BIANCO CARRARA BOOKMATCH	131
	NEW CALACATTA BOOKMATCH	133
	NEW ICELAND BOOKMATCH	135
	NEW ONYX LOTUS BOOKMATCH	137
	NEW ONYX OPERA BOOKMATCH	139
	NEW ONYX PERLA BOOKMATCH	141
	NEW ZENITH BOOKMATCH	143

MOSAIC collection		
C	CALACATTA (HEXAGON)	107-109
	CALACATTA (SQUARE)	111
	CLAY (SQUARE)	113
	CORE (HEXAGON)	115
F	FULL BLACK (SQUARE)	117
	FULL WHITE (SQUARE)	119
M	MIRA (SQUARE)	121
N	NAMBIA (SQUARE)	123
P	PIETRA (SQUARE)	125

INDOOR

collection

BIANCO CARRARA



page 19

STATUARIO



page 95

VOLAKAS



BRONZE

page 101

PIETROSA MARBLE



page 83

FULL BLACK



page 49

NAMBIA



WHITE

GREY

TAUPE

page 59

CALACATTA GLAM




page 33

CALABRIA



page 27

CORE



WHITE

page 41

PIETROSA SAND



page 85

MIRA



BEIGE

BROWN

DARK GREY

page 57

CALACATTA SUAVE



page 35

DOLOMITE



WHITE


page 45

FULL WHITE



page 51

SERPEGIANTE




WHITE

IVORY

CAPPUCINO

page 91

GRIGIO



BLACK

WHITE

BEIGE

page 53

CALACATTA



WHITE

BRONZE

GOLD

PEARL


AQUA

GREEN

BOLD

page 29-31

PIETRA




BLACK

WHITE

page 81

SAHARA NOIR




BLACK

GOLD

SAHARA NOIR

page 87

MARMO METALLO



LIGHT GREY

GREY

BLACK

BLUE

page 55

CLAY



ANTHRACITE

GREY

WHITE

IVORY

page 39

CROSSOVER



ANTHRACITE

GREY

WHITE

BEIGE

page 43

TERRE



WHITE

GREY

BLACK

BEIGE

page 99

INDOOR

collection

PANTHEON



IVORY

page 79

CEMENT



WHITE

page 37

BLUESTONE



GREY

page 23

ORLANDO



WHITE

page 77

EPIRO




ANTHRACITE

GREY

page 47

ANTIQUE



DARK BLUE

GREEN

page 17

STRATOS



ANTHRACITE

GREY

page 97

BIRMINGHAM



OAK

page 21

ONYX MOON



PEARL

page 67

ONYX PEARL



page 73

ONYX ALAVASTRO



BLACK

page 61

ONYX OSTRA



IVORY

page 71

ONYX SMOKE



BLACK

BLUE

page 75

ONYX OPERA



ANTHRACITE

BLUE

page 69

ONYX GOLDEN CLOUD



page 65

ONYX CASPIAN



page 63

BURNINGWOOD



page 25

SCARLET



OAK

page 89

SOFTWOOD



ASH GREY

page 93

WINDSOR




NATURAL

page 103

BOOKMATCH
collection

NEW
BIANCO CARRARA
BOOKMATCH



page 131

NEW ICELAND
BOOKMATCH



page 135

WHITE

NEW CALACATTA
BOOKMATCH



page 133

WHITE

NEW
ONYX PERLA
BOOKMATCH



page 141

NEW
ONYX LOTUS
BOOKMATCH



page 137

NEW ZENITH
BOOKMATCH



page 143

BLUE

CAFFE
BOOKMATCH



page 129

MOCHA

NEW
ONYX OPERA
BOOKMATCH



page 139

ANTHRACITE




BLUE

MOSAIC
collection

HEXAGON

page 107-109

CALACATTA HEXAGON



WHITE

GOLD

AQUA

BOLD

CORE
HEXAGON




page 115

WHITE

SQUARE

page 111

CALACATTA SQUARE




PEARL

BRONZE

page 123

NAMBIA SQUARE



TAUPE

GREY

page 113

CLAY SQUARE




GREY

ANTHRACITE




IVORY

FULL BLACK
SQUARE



page 117

FULL WHITE
SQUARE



page 119

PIETRA
SQUARE



page 125


MIRA
SQUARE



page 121

BROWN

INDOOR
collection



ANTIQUE

INDOOR COLLECTION

ANTIQUE



9 mm

ANTIQUE
DARK BLUE



12"x24" POLISHED 119075907

24"x48" POLISHED 309075907



9 mm

ANTIQUE
GREEN




24"x48" POLISHED 309075906



24"x48"



12"x24"





BIANCO CARRARA

INDOOR COLLECTION



0 mm

BIANCO CARRARA

GP V2

24"x48" POLISHED 309016900



17
faces

24"x48"

Bookmatch available

BIANCO CARRARA





INDOOR COLLECTION



BIRMINGHAM
OAK
24"x24" TEXTURED WOOD 109038470

BIRMINGHAM



BIRMINGHAM



24"x24"





BLUESTONE

INDOOR COLLECTION





BLUESTONE
GREY
   V2
24"x48" TEXTURED STONE 309073609



24"x48"

Outdoor available





BURNING WOOD

INDOOR COLLECTION



9 mm

BURNING WOOD



8"x48" TEXTURED WOOD 329016117

18
faces

8"x48"

BURNING WOOD





CALABRIA

INDOOR COLLECTION



9 mm

CALABRIA

🌿 🧑🏿 🏠 V2

24"x48" POLISHED 309056510





8

faces

24"x48"

CALABRIA





CALACATTA

INDOOR COLLECTION

CALACATTA



9 mm

CALACATTA
WHITE

🔪 🧴 🧼 V2

12"x24"	POLISHED	119002559
12"x24"	SATIN MATTE	119014810
24"x48"	POLISHED	309002559
24"x48"	SATIN MATTE	309014859



9 mm

CALACATTA
BRONZE

🔪 🧴 🧼 V2

12"x24"	POLISHED	119002508
12"x24"	SATIN MATTE	119014808
24"x24"	POLISHED	109002508
24"x48"	POLISHED	309002508
24"x48"	SATIN MATTE	309014808



9 mm

CALACATTA
GOLD

🔪 🧴 🧼 V2

12"x24"	SUGAR EFFECT	119026250
12"x24"	POLISHED	119002550
12"x24"	SATIN MATTE	119014850
24"x48"	POLISHED	309002550
24"x48"	SUGAR EFFECT	309026250
24"x48"	SATIN MATTE	309014850 New Product



9 mm

CALACATTA
PEARL

🔪 🧴 🧼 V2

12"x24"	SUGAR EFFECT	119026227
12"x24"	POLISHED	119002527
12"x24"	SATIN MATTE	119014827
24"x48"	POLISHED	309002527
24"x48"	SUGAR EFFECT	309026227
24"x48"	TEXTURED STONE	309035927



24"x48"



12"x24"

Bookmatch, Outdoor and Mosaic available





CALACATTA

INDOOR COLLECTION

CALACATTA







CALACATTA GLAM

INDOOR COLLECTION



9 mm

CALACATTA GLAM

PEI III V2

24"x48" POLISHED 309056310



6
faces

24"x48"

CALACATTA GLAM





CALACATTA SUAVE

INDOOR COLLECTION




9 mm

CALACATTA SUAVE

PEI 3 V2

24"x48" POLISHED 309002500



15
faces

24"x48"

CALACATTA SUAVE





CEMENT

INDOOR COLLECTION



9 mm

CEMENT
WHITE

🔪 🧴 🧼 V3

24"x48" TEXTURED STONE 309033710



6
faces

24"x48"

CEMENT





CLAY

INDOOR COLLECTION

CLAY



9 mm

CLAY
ANTHRACITE

🌿 🧴 🧱 V2

12"x24" TEXTURED STONE 119027168

24"x48" TEXTURED STONE 309027168



9 mm

CLAY
GREY

🌿 🧴 🧱 V2

12"x24" TEXTURED STONE 119027109

24"x48" TEXTURED STONE 309027109



9 mm

CLAY
WHITE

🌿 🧴 🧱 V2

12"x24" TEXTURED STONE 119027110

24"x48" TEXTURED STONE 309027110



9 mm

CLAY
IVORY

🌿 🧴 🧱 V2

12"x24" TEXTURED STONE 119027174

24"x48" TEXTURED STONE 309027174




24"x48"



12"x24"

Outdoor and Mosaic available





CORE

INDOOR COLLECTION

CORE




9 mm

CORE
WHITE

🔪 🧼 🧊 V2

12"x24" POLISHED 119067059

24"x48" POLISHED 309067059



Mosaic available





CROSSOVER

INDOOR COLLECTION



9 mm

CROSSOVER
BEIGE



24"x48" TEXTURED STONE 309027914



9 mm

CROSSOVER
WHITE



24"x48" TEXTURED STONE 309027959



9 mm

CROSSOVER
GREY



24"x48" TEXTURED STONE 309027909



9 mm

CROSSOVER
ANTHRACITE



24"x48" TEXTURED STONE 309027968



24"x48"

Outdoor available

CROSSOVER





DOLOMITE

INDOOR COLLECTION



9 mm

DOLOMITE
WHITE

🔪 🧴 🧼 V2

12"x24"	SATIN MATTE	119009210
12"x24"	POLISHED	119009810
24"x48"	SATIN MATTE	309009210
24"x48"	POLISHED	309009810



24"x48"



12"x24"





EPIRO

INDOOR COLLECTION

EPIRO



0.5mm

EPIRO
ANTHRACITE

🌿 🧑‍🔧 🏠 V3

24"x48" TEXTURED STONE 309059968



0.5mm

EPIRO
GREY

🌿 🧑‍🔧 🏠 V3


24"x48" TEXTURED STONE 309059909



6
faces

24"x48"

Outdoor available





FULL BLACK

INDOOR COLLECTION

FULL BLACK





9mm

FULL BLACK

🌿 🗑️ V1

12"x24"	SATIN MATTE	119049002
24"x24"	SATIN MATTE	109049002
24"x48"	SUGAR EFFECT	309044502



Mosaic available





FULL WHITE

INDOOR COLLECTION

FULL WHITE




9 mm

FULL WHITE



12"x24"	SATIN MATTE	119036710
24"x24"	SATIN MATTE	109036710
24"x24"	POLISHED	109038200
24"x48"	POLISHED	309038200



24"x48"



12"x24"



24"x24"

Mosaic available





GRIGIO

INDOOR COLLECTION

GRIGIO





GRIGIO
BLACK

24"x48" POLISHED 309001102




GRIGIO
BEIGE

24"x24" TEXTURED STONE 109025414




GRIGIO
WHITE


24"x48" POLISHED 309001110



24"x48"



24"x24"





MARMO METALLO

INDOOR COLLECTION

MARMO METALLO



9 mm

MARMO METALLO
GREY



24"x48" POLISHED 309000909



9 mm

MARMO METALLO
LIGHT GREY



24"x48" POLISHED 309000938



9 mm

MARMO METALLO
BLACK



24"x48" POLISHED 309000902



9 mm

MARMO METALLO
BLUE




24"x48" POLISHED 309000907



5
faces

24"x48"





MIRA

INDOOR COLLECTION

MIRA



 **MIRA**
DARK GREY

12"x24" 119036813
24"x48" 309036813




 **MIRA**
BROWN

12"x24" 119036801



 **MIRA**
BEIGE

12"x24" 119036814





NAMBIA

INDOOR COLLECTION

NAMBIA



9 mm

NAMBIA
GREY

🌿 🧑‍🔧 🏠 V2

12"x24"	SATIN MATTE	119052209
12"x24"	POLISHED	119058909
24"x48"	POLISHED	309058909



9 mm

NAMBIA
TAUPE

🌿 🧑‍🔧 🏠 V2

12"x24"	SATIN MATTE	119052291
12"x24"	POLISHED	119058991




9 mm

NAMBIA
WHITE

🌿 🧑‍🔧 🏠 V2

12"x24"	SATIN MATTE	119052259
---------	-------------	-----------



24"x48" 12"x24"

Mosaic available





ONYX ALAVASTRO

INDOOR COLLECTION



9 mm

ONYX ALAVASTRO
BLACK

🔪 🧴 🧼 V2

24"x48" POLISHED 309014202



24"x48"

ONYX ALAVASTRO





ONYX CASPIAN

INDOOR COLLECTION



0.5mm



ONYX CASPIAN

🔪 🧼 🧴 V2

24"x24" POLISHED 109005900

24"x48" POLISHED 309005900

ONYX CASPIAN



24"x48"



24"x24"





ONYX GOLDEN CLOUD

INDOOR COLLECTION



9 mm
ONYX GOLDEN CLOUD
☑️ ☑️ ☑️ V2
24"x48" SUGAR EFFECT 309040600



8
faces

24"x48"

ONYX GOLDEN CLOUD





ONYX MOON

INDOOR COLLECTION

ONYX MOON



2mm
ONYX MOON
PEARL
24"x48" POLISHED 309003727



24"x48"





ONYX OPERA

INDOOR COLLECTION

ONYX OPERA



9 mm

ONYX OPERA
BLUE

☑️ ⚠️ 🧼 V2

24"x48" SUGAR EFFECT 309040807



9 mm

ONYX OPERA
ANTHRACITE

☑️ ⚠️ 🧼 V2


24"x48" POLISHED 309005468



7
faces

24"x48"

Bookmatch available





ONYX OSTRA

INDOOR COLLECTION



9mm
ONYX OSTRA
IVORY
[Icons: Scratch, Stain, Frost, V2]
24"x48" POLISHED 309057574



24"x48"

ONYX OSTRA





ONYX PEARL

INDOOR COLLECTION

ONYX PEARL



9 mm

ONYX PEARL

GP V2

24"x48" POLISHED 309003627



24"x48"





ONYX SMOKE

INDOOR COLLECTION


ONYX SMOKE



0.1mm
ONYX SMOKE
BLACK
[Icons: Scratch, Stain, Frost, V2]
24"x48" POLISHED 309004302



0.1mm
ONYX SMOKE
BLUE
[Icons: Scratch, Stain, Frost, V2]
12"x24" POLISHED 119004307
24"x48" POLISHED 309004307



24"x48" 12"x24"





ORLANDO

INDOOR COLLECTION



ORLANDO
WHITE
24"x48" POLISHED 309010710



13
faces

24"x48"

ORLANDO





PANTHEON

INDOOR COLLECTION



3 mm
PANTHEON
IVORY
 V2
24"x48" TEXTURED MATTE 309051974



24"x48"

PANTHEON





PIETRA



INDOOR COLLECTION



9 mm

PIETRA
WHITE



12"x24" POLISHED 119002010
24"x48" POLISHED 309002010





9 mm

PIETRA
BLACK



12"x24" POLISHED 119002002
24"x48" POLISHED 309002002



24"x48" 12"x24"

Mosaic available





PIETROSA MARBLE

INDOOR COLLECTION



9 mm

PIETROSA MARBLE

🌀 🧑🏿 🧑🏻 🧑🏾 V2

24"x48" SUGAR EFFECT 309054800



24"x48"

Outdoor available

PIETROSA MARBLE



PIETROSA SAND

INDOOR COLLECTION




9 mm

PIETROSA SAND

🌿 🧴 🧼 V2

24"x48" SUGAR EFFECT 309054858



24"x48"

Outdoor available





SAHARA NOIR

INDOOR COLLECTION

SAHARA NOIR





SAHARA NOIR
BLACK
24"x48" SUGAR EFFECT 309033000



SAHARA NOIR
GOLD
24"x48" POLISHED 309022150
24"x48" SUGAR EFFECT 309033150



SAHARA NOIR
24"x24" POLISHED 100022100





SCARLET

INDOOR COLLECTION



9 mm

SCARLET
OAK



8"x48" WOOD MATTE 329007370

24
faces

8"x48"

SCARLET





SERPEGIANTE

INDOOR COLLECTION



9 mm

SERPEGIANTE
WHITE

☑️ ⚠️ 📏 V2

24"x48" POLISHED 309031510 New Product



9 mm

SERPEGIANTE
IVORY

☑️ ⚠️ 📏 V2

24"x48" POLISHED 309031574 New Product



9 mm

SERPEGIANTE
CAPPUCINO

☑️ ⚠️ 📏 V2

24"x48" POLISHED 309031529 New Product



8
faces

24"x48"





SOFTWOOD

INDOOR COLLECTION



9 mm

SOFTWOOD
ASH GREY



8"x48" TEXTURED WOOD 329051809

27
faces

8"x48"

SOFTWOOD





STATUARIO

INDOOR COLLECTION




9 mm


STATUARIO

🌿 🧑‍🔧 🏠 V2

12"x24"	POLISHED	119002400
12"x24"	SATIN MATTE	119019400
24"x48"	POLISHED	309002400
24"x48"	SATIN MATTE	309019400



24"x48" 12"x24"





STRATOS

INDOOR COLLECTION

STRATOS



STRATOS
ANTHRACITE

24"x48" TEXTURED STONE 309011168



STRATOS
GREY

24"x48" TEXTURED STONE 309011109



24"x48"



TERRE

INDOOR COLLECTION

TERRE



9mm
TERRE
GREY
☑️ ☑️ ☑️ V2
24"x48" POLISHED 309057309




9mm
TERRE
WHITE
☑️ ☑️ ☑️ V2
24"x48" POLISHED 309057310



9mm
TERRE
BEIGE
☑️ ☑️ ☑️ V2
12"x24" POLISHED 119057374
24"x48" POLISHED 309057314





9mm
TERRE
BLACK
☑️ ☑️ ☑️ V2
24"x48" POLISHED 309057302
24"x48" SUGAR EFFECT 309077902 New Product



24"x48"



12"x24"





VOLAKAS

INDOOR COLLECTION



9 mm

VOLAKAS
BRONZE

🔪 🧼 🧴 V2

24"x48" POLISHED 309021708



15
faces

24"x48"

VOLAKAS





WINDSOR

INDOOR COLLECTION



9 mm

WINDSOR
NATURAL




8"x48" TEXTURED WOOD 329053671

15
faces

8"x48"

WINDSOR



MOSAIC
collection



MOSAIC CALACATTA (HEXAGON)


MOSAIC COLLECTION

CALACATTA HEXAGON
WHITE


2"x2" POLISHED 159024410

CALACATTA HEXAGON
AQUA

2"x2" SATIN MATTE 159014895



MOSAIC CALACATTA
(HEXAGON)





MOSAIC CALACATTA (HEXAGON)

MOSAIC COLLECTION




CALACATTA HEXAGON
GOLD

2"x2"	POLISHED	159024450
2"x2"	SATIN MATTE	159014850 New Product

CALACATTA BOLD
HEXAGON

3"x3"	SATIN MATTE	179024489
-------	-------------	-----------

MOSAIC CALACATTA
(HEXAGON)






MOSAIC CALACATTA (SQUARE)

MOSAIC COLLECTION

CALACATTA SQUARE
PEARL


2"x2" SATIN MATTE 159014827



CALACATTA SQUARE
BRONZE

2"x2" SATIN MATTE 159014808


MOSAIC CALACATTA
(SQUARE)





MOSAIC CLAY (SQUARE)

MOSAIC COLLECTION



CLAY SQUARE
IVORY




2"x2" SATIN MATTE 159024974



CLAY SQUARE
GREY




2"x2" TEXTURED STONE 159024909 New Product



CLAY SQUARE
ANTHRACITE



2"x2" TEXTURED STONE 159024968 New Product




12"x12"



MOSAIC CORE (HEXAGON)


MOSAIC COLLECTION

MOSAIC CORE
(HEXAGON)



115

CORE HEXAGON
WHITE
[Icons: Scratch, Stain, Acid, V2]
3"x3" POLISHED 159067059






MOSAIC FULL BLACK (SQUARE)

MOSAIC COLLECTION


MOSAIC FULL BLACK (SQUARE)



FULL BLACK SQUARE



2"x2" SATIN MATTE 159049002



12"x12"





MOSAIC FULL WHITE (SQUARE)

MOSAIC COLLECTION

MOSAIC FULL WHITE
(SQUARE)




FULL WHITE SQUARE



2"x2"

SATIN MATTE

159036710



2"x2"

12"x12"





MOSAIC MIRA (SQUARE)

MOSAIC COLLECTION


MOSAIC MIRA
(SQUARE)



MIRA SQUARE
BROWN

Icons: leaf, person, square, V2

2"x2" SATIN MATTE 159036501





MOSAIC NAMBIA (SQUARE)

MOSAIC COLLECTION

NAMBIA SQUARE
GREY




2"x2" SATIN MATTE 159058909

NAMBIA SQUARE
TAUPE




3"x3" SATIN MATTE 159052291



12"x12"


2"x2"



12"x12"


3"x3"

MOSAIC NAMBIA
(SQUARE)




MOSAIC COLLECTION

MOSAIC PIETRA (SQUARE)



MOSAIC PIETRA (SQUARE)



PIETRA SQUARE
BLACK



2"x2" POLISHED 159002002



12"x12"



BOOKMATCH
collection



CAFFE BOOKMATCH

BOOKMATCH COLLECTION

CAFFE
BOOKMATCH



CAFFE BOOKMATCH
MOCHA


🔍 📏 📐 V1

24"x48" POLISHED 309010101



24"x48"





NEW BIANCO CARRARA BOOKMATCH

BOOKMATCH COLLECTION

NEW BIANCO CARRARA
BOOKMATCH



NEW BIANCO CARRARA
BOOKMATCH


 V1

24"x48" POLISHED 309078759



1
face


24"x48"



NEW CALACATTA BOOKMATCH

BOOKMATCH COLLECTION


NEW CALACATTA
BOOKMATCH



NEW CALACATTA BOOKMATCH
WHITE

🔪 🧴 🧼 V1

24"x48" POLISHED 309078910



24"x48"

Outdoor available






NEW ICELAND BOOKMATCH

BOOKMATCH COLLECTION


NEW ICELAND
BOOKMATCH



NEW ICELAND BOOKMATCH
WHITE

🌀 🧑🏿 🏠 V1

24"x48" POLISHED 309079310




24"x48"



NEW ONYX LOTUS BOOKMATCH

BOOKMATCH COLLECTION


NEW ONYX LOTUS
BOOKMATCH



NEW ONYX LOTUS
BOOKMATCH



24"x48" POLISHED 309079700



24"x48"






NEW ONYX OPERA BOOKMATCH

BOOKMATCH COLLECTION

NEW ONYX OPERA
BOOKMATCH



NEW ONYX OPERA BOOKMATCH
BLUE
24"x48" POLISHED 309079407 New Product



NEW ONYX OPERA BOOKMATCH
ANTHRACITE
24"x48" POLISHED 309079468



1
face

24"x48"





NEW ONYX PERLA BOOKMATCH

BOOKMATCH COLLECTION

NEW ONYX PERLA
BOOKMATCH



NEW ONYX PERLA
BOOKMATCH

24"x48"

POLISHED

309079800



24"x48"



NEW ZENITH BOOKMATCH

BOOKMATCH COLLECTION

NEW ZENITH
BOOKMATCH



NEW ZENITH BOOKMATCH
BLUE

24"x48"

POLISHED

309079607



24"x48"

DECOVITA

TEST POLICY

We are making tests both in our factory laboratory and 3th party laboratories to exceed standards.
3th Party Laboratories: We have adopted testing of both **ASTM** (American Society for Testing and Materials Standards) by **TCNA** (Tile Council of North America) and EN ISO (European Union International Standards).

WATER ABSORPTION ASTM C373
This test method covers procedures for determining water absorption, bulk density, apparent porosity, and apparent specific gravity of non-tile fired unglazed white ware products, glazed or unglazed ceramic tiles, and glass tiles. The water absorption, reported here, is expressed as a percent, the relationship of the mass of water absorbed to the mass of the dry specimen.

Class	Requirement
Impervious	Water absorption less than or equal to 0.5%
Vitreous	Water absorption more than 0.5% and less than or equal to 3.0%
Semi-vitreous	Water absorption more than 3.0% and less than or equal to 7.0%
Non-vitreous	Water absorption more than 7.0% and less than or equal to 20.0%

CHEMICAL RESISTANCE ASTM C650
This test method covers a procedure for determining whether, and to what degree, ceramic tiles are affected by prolonged exposure to chemical substances that are commonly in the household or for cleaning purposes as well as other more severe conditions. This test method calls for one or more tests, each consisting of exposing flat pieces of ceramic tile to the action of a specific chemical substance for a definite period of time at a prescribed temperature.

Class	Maximum number of affected samples
Class A	0
Class B	1
Class C	2
Class D	3
Class E	4 or more

BREAKING STRENGTH ASTM C648
This test method covers the determination of the breaking strength of glazed ceramic wall tile, ceramic mosaic tile, quarry tile, and paver tile. The test method consists of supporting the tile on the ends of three cylindrical rods, or on three ball bearings arranged in an equilateral triangle, and applying force at a definite rate to the center of the tile, until the specimen breaks.

ANSI Standard	Tile Type	Specification
ANSI A 137.1 (Ceramic Tile)	Porcelain Tile	The average breaking strength shall be 275 lbf or greater with no individual specimen below 250 lbf

ABRASION RESISTANCE (PEI) ASTM C1027
This test method is designed to measure the resistance of tile surfaces to visible surface abrasion. Certain irregular surfaces may not be evaluated properly by this test method because of wear patterns. The abrasion resistance of tile surfaces is determined by rotation of an abrasive load on the surface and the assessment of the resultant wear by means of visual comparison of the abraded test specimens and non-abraded tiles.

Class	Explanation
Class 0	Not suitable for floors. (Defects detected after 100 Revolutions)
Class 1	Residential, light traffic. (Defects detected after 150 Revolutions)
Class 2	Residential, medium to light traffic. (Defects detected after 600 Revolutions)
Class 3	Residential, heavy traffic. Commercial, light traffic. (Defects detected after 750, 1500 Revolutions)
Class 4	Commercial, considerable traffic. (Defects detected after 21000, 6000, 12000 Revolutions)
Class 5	Commercial, heavy traffic. (Defects detected after > 12000 Revolutions)

STAIN RESISTANCE ASTM C1378
This test method is intended to determine the resistance to staining of ceramic tile surfaces. The resistance to staining is determined by maintaining test solutions in contact with ceramic tile surfaces for a specified period of time. After exposure, the surface is cleaned in a defined manner, and the test specimens are inspected visually for change.

Class	Maximum number of samples that retain a stain
Class A	0
Class B	1
Class C	2
Class D	3
Class E	4 or more

SCRATCH HARDNESS (MOHS HARDNESS SCALE) ASTM C1895
This method covers the procedures to determine the Mohs scratch hardness of ceramic tile. The resistance to scratching is determined based on a visual observation of the ceramic tile surface after an attempt to scratch the surface using a pick of known hardness. The following minerals are used as standard: 1. Talc, 2. Gypsum, 3. Calcite, 4. Fluorite, 5. Apatite, 6. Feldspar, 7. Quartz, 8. Topaz, 9. Corundum, 10. Diamond

DIMENSIONS AND SURFACE QUALITY ASTM C485
This test method provides a means for determining whether or not a lot of ceramic tile meets the warpage requirements that may appear in specifications to assure satisfactory tile installations. In accordance with this test method, warpage is calculated as a percentage of the length of the edge or diagonal being tested. It is realized that the percentage values based on the overall edge length, or on the overall diagonal length of a tile will be slightly lower than those based on the distance between reference points. However, the ratio of the overall lengths to the distance between reference points will be practically constant for any particular size of tile and, therefore, the percentage values will be comparable and equally indicative of warpage.

DYNAMIC COEFFICIENT OF FRICTION OF HARD SURFACE FLOORING MATERIALS - DCOF - ANSI A326.3
Unless otherwise specified, hard surface flooring materials suitable for level interior spaces expected to be walked upon when wet with water shall have a wet DCOF of 0.42 or greater when tested using SBR sensor material and SLS solution as per this standard. However, hard surface flooring materials with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine materials appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations. No floor tile is "slip proof". Porcelain tiles shouldn't be used in areas where oil, grease, or water is expected on the floor both indoors or out.

Slip Hazard	Minimum DCOF BOT3000 AcuTest (Wet)
Dry & Level Interior	Any
Wet & Level Interior	≥ 0.42
Exterior Applications, Oils, Pool Decking & Other Wet Areas with minimal footwear	≥ 0.60
Ramps & Inclines	≥ 0.65

RESISTANCE OF CERAMIC AND GLASS TILE TO FREEZE - THAW CYCLING ASTM C1026
This test method describes the procedures and equipment required to test either glazed or unglazed ceramic or glass tiles for resistance to repeated cycles of freezing and thawing. Tile of any size or shape may be tested by this test method. A designated test load of tile specimens is saturated with water prior to being placed face-up in a metal water-filled container inside a freezer. The water level is adjusted such that the tile specimens are partially submerged. A thermocouple is inserted into the bottom of the metal container such that the water surrounding the thermocouple is the last location to freeze and thaw. Freezing is followed by a thawing cycle using water that flows over the test load. The number of freeze-thaw cycles is recorded and after 300 cycles, the test load is visually examined for damage and checked for total weight loss.

SHADE VARIATIONS
Variation in coloring is classified by the following.

Class	Explanation
V0	Very uniform, monochromatic color
V1	Consistent color within each tile and from tile to tile
V2	Color variation within each tile
V3	Some variation from tile to tile and within each tile
V4	Considerable variation from tile to tile

DECOVITA

DECLARED VALUES

DECOVITA FACTORY QUALITY CONTROL DEPARTMENT REGULARLY MAKES BELOW TESTS IN OUR FACTORY LABORATORY

- Dimensions and Surface Quality
- Water Absorption %
- Pallet and Box Control
- Resistance to Low Concentration of Acids and Alkalis
- Resistance to High Concentration of Acids and Alkalis
- Resistance to Household Chemicals and Swimming Pool Salts
- Resistance to Staining
- Surface Brightness Check
- Scratch Hardness (Mohs)

DECOVITA INDOOR 1 CM (POLISHED AND MATT)

Method	Declared Value
The ASTM C373 Water Absorption	≤ 0.5 %
The ASTM C648 Breaking Strength	≥ 500 lbf
The ASTM C650 Chemical Resistance	Resistant
The ASTM C1027 Surface Abrasion (PEI)	Min Class 4
The ASTM C1378 Stain Resistance	Min Class B
ASTM 1895 Mohs Scratch Hardness	Min 6
Length and width	± 0,5 mm
Thickness	± 0,5 mm
Straightness of Sides	± 0.5 mm
Rectangularity	± % 0,5
Center-Edge Curvature-Warpage	± % 0,5
Surface Quality	% 95

*ANSI A326.3 Dynamic Coefficient of Friction (DCOF – wet only) for Textured Matte Indoor 1 cm≥ 0.65
*ANSI A326.3 Dynamic Coefficient of Friction (DCOF – wet only) for Satin Matte Indoor 1 cm≥ 0.44
ASTM 1895 Mohs Scratch Hardness for Sugar Effect Indoor 1cm is 8.

DECOVITA INDOOR 1 CM (SUGAR EFFECT)

Method	Declared Value
The ASTM C373 Water Absorption	≤ 0.5 %
The ASTM C648 Breaking Strength	≥ 500 lbf
The ASTM C650 Chemical Resistance	Resistant
The ASTM C1027 Surface Abrasion (PEI)	Min Class 3
The ASTM C1378 Stain Resistance	Min Class B
ASTM 1895 Mohs Scratch Hardness	Min 7
Length and width	± 0,5 mm
Thickness	± 0,5 mm
Straightness of Sides	± 0.5 mm
Rectangularity	± % 0,5
Center-Edge Curvature-Warpage	± % 0,5
Surface Quality	% 95



BOX / PALLET
DETAILS

NOMINAL THICKNESS		NOMINAL SIZE		PCS / BOX	BOX		BOX PER PALLET	PALLET		PALLET SIZE		WEIGHT OF LOADED PALLET	
mm	inch	cm	inch		m²	sqf		m²	sqf	cm	inch	kg	lb
9	3/8"	30x60	12x24	9	1.62	17.43	32	51,84	558	80x120x75	32x48x29	1,030	2,270
10	3/8"	30x60	12x24	8	1.44	15.50	32	46,08	496	80x120x75	32x48x29	990	2,182
11	3/8"	30x60	12x24	7	1.26	13.56	32	40,32	434	80x120x75	32x48x29	950	2,094
9	3/8"	60x60	24x24	4	1.44	15.50	32	46,08	496	80x120x75	32x48x29	950	2,094
10	3/8"	60x60	24x24	4	1.44	15.50	30	43,2	464.83	80x120x75	32x48x29	980	2,160
9	3/8"	60x120	24x48	2	1.44	15.50	36	51,84	558	95x128x75	36x50x29	1,040	2,292
11	3/8"	60x120	24x48	2	1.44	15.50	32	46,08	496	93x128x75	36x50x29	1,180	2,601
9	3/8"	30x120	12x48	5	1.80	19.37	36	64,8	697.50	93x128x80	36x50x32	1,600	3,527
11	3/8"	30x120	12x48	4	1.44	15.49	36	51,84	558	93x128x80	36x50x32	1,350	2,976
9	3/8"	20x120	8x48	7	1.68	18.08	36	60,48	651	93x128x80	36x50x32	1,600	3,527
11	3/8"	20x120	8x48	6	1.44	15.50	36	51,84	558	93x128x80	36x50x32	1,400	3,086
11	3/8"	80x160	32x64	1	1.28	13.77	34	43,52	468.44	96x177x75	37x69x32	1.160	2,557
11	3/8"	90x180	36x72	1	1.62	17.43	34	55,08	592.87	106x197x75	41x77x29	1,450	3,196
9	3/8"	80x80	32x32	2	1.28	13.77	46	58,88	633.77	80x120x75	32x48x29	1,200	2,645
11	3/8"	80x80	32x32	2	1.28	13.77	42	53,76	578.66	80x120x75	32x48x29	1,300	2,866
20	3/4"	60x60	24x24	2	0.72	7.75	30	21,6	232.50	80x120x75	32x48x29	1,150	2,535
20	3/4"	60x120	24x48	1	0.72	7.75	32	23,04	248	93x128x75	36x50x29	1,250	2,755
20	3/4"	30x60	12x24	4	0.72	7.75	32	23,04	248	80x120x75	32x48x29	1,220	2,689
20	3/4"	30x30	12x12	4	0.36	3.87	64	23,04	248	80x120x75	32x48x29	1,220	2,689

MOSAICS

TYPE	SIZE	PCS / BOX	BOX		BOX PER PALLET	PALLET		WEIGT OF BOX		WEIGHT OF LOADED PALLET	
			m²	sqf		m²	sqf	kg	lb	kg	lb
Square	2x2	5	0.45	4.84	90	40.50	435.90	9.50	21	870	1.914
Square	3x3	5	0.45	4.84	90	40.50	435.90	9.50	21	870	1.914
Hexagon	2x2	5	0.46	4.97	90	41.40	445.60	9.50	21	870	1.914
Hexagon	3x3	5	0.51	5.49	90	45.90	494.10	9.50	21	870	1.914

** Decovita USA provides Freight Service required by LTL upon request. For more details and delivery for different locations please contact to Sales Manager.



DISCLAIMER POLICY

Porcelain Ceramic Tile is subject to standard variances resulting from the manufacturing process. Decovita provides warranty that the products are within the industry standard variance levels. Colors in print will not appear exact, photos are not to scale.

Decovita-USA, INC. warrants that our products will meet or exceed the testing requirements published in our current product catalogs / literature. We also warrant our tile to conform to any specific physical properties stated in our product catalogs / literature and to be free from manufactures defects for a period of one year from date of purchase.

Sample Policy

Product samples may not be an exact match to supplied materials due to variations in batch manufacturing. A sample product is merely a representation of a product. This means the supplied materials may have slight differences in color, shade, and/or surface appearance.

Installation Warning

INSTALLATION of the materials constitutes ACCEPTANCE of products. Therefore, all supplied materials must be inspected by the Customer/Buyer/End User/Installer prior to installation to determine if the supplied materials are acceptable (e.g. proper series, color, shade, texture, glaze, surface finish, etc). If there is any question as to the material's appropriateness, the material must NOT be installed. If marks or discolorations of any type are found on the surface of a tile, the tile piece must NOT be installed unless the marks or discoloration are first removed to the satisfaction of the Customer/Buyer/End User/Installer. Decovita will not be held liable for replacement costs for tiles installed with such issues.

Returns

A return cannot be accepted without purchase invoice and without manager approval for full box quantities only.

Any orders purchased within 30 days, there will not be restocking fee unless packaging is damaged and not in sellable condition upon manager approval, however after 30 days any returns will be subject to a 30% restocking fee. After 60 days no returns will be accepted. Payment made by credit card will go back to the same card used within 7 business days. The Credit Card Processing fee is 2.9% and the ACH Processing fee is 1%. Payment made by check or cash will be refunded by corporate refund check within 14 business days to the same company name and address we have on file. All products return under this warranty require a Return Authorization (RA) Number. Contact Decovita USA Virginia at 571.926.8326 or Decovita USA California at 714.406.1500 for an RA Number and other important details.

Items must be in their original packaging and full box quantities only. Any special order (customized product, transfer request of product from Turkey, transfer request of product from one Decovita USA warehouse to another Decovita USA warehouse) is out of return policy, so no returns will be accepted!

Purchasing Terms & Conditions

Each shipment of products by the Seller shall be governed by these terms and conditions notwithstanding any other specific Terms & Conditions of our Manufacturers.

Product and Prices

Unless agreed to otherwise, in advance, in writing and signed by an officer of Decovita, all offered prices are F.O.T. Decovita's facility. All pricing quotes must be documented in writing and issued by Decovita to be valid. Unless otherwise stated, prices quoted are firm for 30 days from the date quoted. Decovita reserves the right to change its prices and the specifications of its products at any time without notice. Prices do not include state, local, federal or other taxes and duties, and the same will be additionally charged unless a valid tax exemption or re-sale certificate is furnished to Decovita prior to shipping. State and local taxes, when charged, are assessed based on those rates in effect at the Decovita location selling or servicing the Buyer. All state, local, federal or other taxes and duties are the responsibility of the Buyer. Decovita's failure to assess or collect adequate taxes at the time of sale does not relieve Buyer of the responsibility for actual tax liabilities. Product pricing is subject to change without prior notice.

Transfer of Title/Risk of Loss

Delivery by Decovita to the initial common carrier shall constitute delivery to the Customer/Buyer. Decovita's responsibility ceases upon delivery to the common carrier and all goods are shipped at Customer/Buyer's risk.

Indemnification

Buyer shall at its own expense apply for and obtain any permits and inspections required for the installation and/or use of Decovita's products. Decovita makes no promise or representation that the products will conform to any federal, state or local laws, ordinances, regulations, codes or standards. Decovita shall not be responsible for any losses or damages sustained by the Buyer, or any other person, as a result of improper installation or misapplication of Decovita's products. Buyer shall indemnify and hold harmless Decovita and its agents and employees against any loss, damage, claim, suit, liability, judgment or expense (including, without limitation, attorney's fees) arising out of, or in connection with, any injury, damage to or loss of any property, or violation of any applicable laws or regulations resulting from, or in connection with, the sale, transportation, installation, use, or repair of Decovita's products by the Buyer.

MAP Policy

Decovita USA is focused on maintaining sustainable margins for our RESELLERS/DEALERS/DISTRIBUTION network. In recognition of the investment in time and resources required for our high-quality RESELLERS/DEALERS/DISTRIBUTION network to provide the level of customer service and product knowledge expected from our customers, Decovita is committed to enforcing policies which allow our resellers to maintain sustainable profit margins through the sale of our products. Decovita USA has an established Minimum Advertised Price (MAP) Policy that an Authorized Reseller must follow for the advertising and marketing of Decovita USA products. All Decovita USA Authorized Resellers must agree to the terms and conditions of the following MAP Policy.

Decovita USA's MAP Policy Guidelines for Decovita Products

All advertised prices must be at or above MAP for all Decovita products. **Our Minimum Advertised Price (MAP) Policy states that no Decovita USA product can be advertised at more than 20% off the List Price.** Resellers are not required to list prices in advertising. If a price is listed in an advertisement it must be at or above MAP. Other statements such as "call for price" or "call for quote" are acceptable and permitted. Resellers are also responsible for ensuring their Decovita pricing is at or above MAP on internet search engines. Resellers are free to set the actual resale price of any product as long as it is at or above MAP price given the most recent publication of the price list. Decovita USA's MAP policy for all Decovita products apply to advertising placements, including but not limited to: print ads (inserts, magazines, newspapers, catalogs, mail order catalogs, etc.), broadcast (radio and TV), direct mail, faxes, internet placement with third parties (banner ads, broadcast emails, destination pages, third-party sites), internet placements on resellers own website, and any flyers, posters or coupons. From time to time, Decovita USA may permit resellers to advertise MAP Products at prices lower than the MAP price. In such events, Decovita reserves the right to modify or suspend the MAP price with respect to the affected products for a specified period of time by providing advance notice to all resellers of such changes.

Pricing Statements

Decovita USA's MAP Policy does allow resellers to omit pricing entirely from advertisements and/or advertisement statements such as "Call for Price", "Call for Quote" or "See Shopping Cart for Price."

Free Offers Associated with Decovita USA Products

Free shipping and/or handling, 0% sales tax, or free financing promotions do not violate the MAP.

NOTES

DECOVITA-USA INC.

USA HEADQUARTERS & VIRGINIA SALES and DISTRIBUTION CENTER
45190 Prologis Plaza, Suite 190, Sterling, VA 20166
Office : (+1) 571 926 83 26

CALIFORNIA SALES and DISTRIBUTION CENTER
1623-1625 S. Sunkist St. Anaheim, CA 92806
Office : (+1) 714 406 15 00

TEXAS SALES and DISTRIBUTION CENTER
5870 W. Fuqua Street Suite #100 Houston Texas, 77085
Office: (+1) 281 915-0884

E-mail : info@decovitausa.com



[decovitaporcelaintile](#)



[decovitaporcelaintile](#)



[decovitaporcelaintile](#)



[decovitausa.com](#)