



DECO|VITA  
PorcelainTile

OUTDOOR  
FLOOR & TILES  
WALL



## TECHNICAL INFORMATION



**GLAZED  
PORCELAIN TILE**



**FLOOR  
TILE**



**WALL  
TILE**



**WATER ABSORPTION**  
≤ 0.5%



**FROST  
RESISTANT**



**INKJET  
TECHNOLOGY**



**ROTO  
TECHNOLOGY**



**MIN. GROUT JOINT**  
1 MM.



**RECTIFIED**

## SLIP RESISTANCE VALUE



Inclination angle > 6° - 10° / low static friction (Entrances, Bathrooms, Kitchens)



Inclination angle > 10° - 19° / normal static friction (Storage Areas)



Inclination angle > 19° - 27° / raised static friction (Restaurants, Dining Halls)



Inclination angle > 27° - 35° / high static friction (Industrial Kitchens, Firefighting Buildings)



Inclination angle > 35° / very high static friction (Especially on slopes and high floor wear areas)

R9 products are recommended for indoor use.  
R10, R11, R12, R13 products are recommended for outdoor use.

## PATTERN VARIATIONS



The least amount of shade and texture variation.



Light to moderate shade and texture variation within each carton.



High shade texture variation within each carton.



Very high shade and texture variation within each carton.



Features

**CALACATTA** ----- Serie  
**PEARL** ----- Color

**2CM R11 FLAT** ----- Finish

24"x24" | 102075527 | 50 faces  
24"x48" | 302075527 | 25 faces

Size  
Option

SKU  
Number

Face  
Count

## DECOVITA OUTDOOR PORCELAIN TILE BLENDING OF ADVANTAGES

It is a material with high technical and visual performance.

Slabs obtained by pressing, followed by vitrification: this process involves the total fusion into a single material made from natural raw materials (sand, quartz, feldspars, kaolin, clays and natural colourants) which, fired at temperatures above 1230°C (2246°F), are transformed into a product with exceptional hardness, practically no absorption at all and unmatched mechanical characteristics.

Decovita porcelain tile is eco-compatible.

## PRACTICAL CONTEMPORARY

ADHESIVE INSTALLATION

LAYING ON LAWN

LAYING ON GRAVEL

LAYING ON SAND

INSTALLATION ON RAISED PEDESTAL SYSTEM



Outdoor Series

## ANDES SLATE



R11

V4

2CM

Relief

**ANDES SLATE**  
MOCHA

2CM R11 RELIEF

24"x24" | 102077677 | 20 faces



R11

V4


2CM

Relief

**ANDES SLATE**  
GOLD

2CM R11 RELIEF

24"x24" | 102077650 | 20 faces



R11

V4

2CM

Relief

**ANDES SLATE**  
ANTHRACITE

2CM R11 RELIEF

24"x24" | 102077668 | 20 faces



# AUMA

Outdoor Series



**AUMA**  
OAK

2CM R11 FLAT

24"x48" | 302077170 | 6 faces



**AUMA**  
TAUPE

2CM R11 FLAT


24"x48" | 302077191 | 6 faces





Outdoor Series

# BLUESTONE



- R11
- V4
- RE
- IP

**BLUESTONE**  
GREY


2CM R11 FLAT

24"x24" | 102067609 | 2 faces



# CALACATTA

Outdoor Series



## CALACATTA PEARL

2CM R11 FLAT

24"x24" | 102075527 | 50 faces

24"x48" | 302075527 | 25 faces



## CALACATTA SLATE PEARL

2CM R11 FLAT

24"x24" | 102078427 | 50 faces



R11

V4

IN

GP

R11

V4

IN

GP







Outdoor Series

# CALACATTA



**CALACATTA  
GOLD**

2CM R11 FLAT

24"x24" | 102077050 | 30 faces



**CALACATTA  
SLATE  
GOLD**

2CM R11 FLAT

24"x24" | 102078450 | 30 faces



# CLAY

Outdoor Series



## CLAY ANTHRACITE

2CM R11 FLAT

24"x24" | 102067468 | 10 faces  
24"x48" | 302067468 | 5 faces



## CLAY GREY

2CM R11 FLAT

24"x24" | 102067409 | 10 faces  
24"x48" | 302067409 | 5 faces





Outdoor Series


# CLAY



**CLAY  
SAND**

2CM R11 FLAT

24"x24" | 102067458 | 10 faces  
24"x48" | 302067458 | 5 faces



**CLAY  
WHITE**

2CM R11 FLAT

24"x24" | 102067410 | 10 faces  
24"x48" | 302067410 | 5 faces



# CLAY FULL BULLNOSE

Outdoor Series

V2



**CLAY  
FULL BULLNOSE**  
ANTHRACITE

2CM R11 FLAT

24"x48" | 302023868 | 5 faces

V2




**CLAY  
FULL BULLNOSE**  
GREY

2CM R11 FLAT

24"x48" | 302023809 | 5 faces





# CLAY FULL BULLNOSE

Outdoor Series



**CLAY  
FULL BULLNOSE  
SAND**

2CM R11 FLAT

24"x48" | 302023858 | 5 faces



**CLAY  
FULL BULLNOSE  
WHITE**

2CM R11 FLAT

24"x48" | 302023810 | 5 faces



# CANADA VINTAGE

Outdoor Series



**CANADA VINTAGE**  
GREY

2CM R11 RELIEF

24"x24" | 102076309 | 5 faces



V2





Outdoor Series

## CROSSOVER



R11

V4

RECTIFIED


ANTI-SLIP

### CROSSOVER WHITE

2CM R11 FLAT

24"x24" | 102067759 | 12 faces

24"x48" | 302067759 | 6 faces



R11

V4

RECTIFIED

ANTI-SLIP

### CROSSOVER GREY

2CM R11 FLAT

24"x24" | 102067709 | 12 faces



R11

V4

RECTIFIED

ANTI-SLIP

### CROSSOVER ANTHRACITE

2CM R11 FLAT

24"x24" | 102067768 | 12 faces



# EARTH

Outdoor Series



## EARTH GREY

2CM R11 FLAT

24"x24" | 102068309 | 14 faces

24"x48" | 302068309 | 7 faces

R11

V4

IN

GP



## EARTH ANTHRACITE

2CM R11 FLAT

24"x24" | 102068368 | 14 faces

R11

V4

IN

GP







Outdoor Series

# EPIRO



R11

V4

2CM


FLAT

## EPIRO ANTHRACITE

2CM R11 FLAT

24"x24" | 102068168 | 12 faces

24"x48" | 302068168 | 6 faces



R11

V4

2CM

FLAT

## EPIRO GREY

2CM R11 FLAT

24"x24" | 102068109 | 16 faces

24"x48" | 302068168 | 8 faces



# IPE DECKING

Outdoor Series



**IPE DECKING**  
OAK

2CM R13 RELIEF


24"x24" | 102077570 | 7 faces





Outdoor Series

## PIETROSA MARBLE



**PIETROSA  
MARBLE**


2CM R11 FLAT

24"x24" | 102067300 | 2 faces



# PIETROSA SAND

Outdoor Series



**PIETROSA  
SAND**

2CM R11 FLAT

24"x24" | 102067358 | 2 faces





Outdoor Series

# SUDBURY

R11

V4

2CM R11 FLAT

24"x24"



**SUDBURY**  
ANHRACITE

2CM R11 FLAT

24"x24" | 102072468 | 6 faces

R11

V4

2CM R11 FLAT

24"x24"



**SUDBURY**  
LIGHT GREY

2CM R11 FLAT

24"x24" | 102072438 | 6 faces



# BOX / PALLET DETAILS

NOMINAL THICKNESS		NOMINAL SIZE		PCS / BOX	BOX		BOX PER PALLET	PALLET		PALLET SIZE		WEIGHT OF LOADED PALLET	
cm	inch	cm	inch		m <sup>2</sup>	sqf		m <sup>2</sup>	sqf	cm	inch	kg	lb
2	3/4"	60x60	24x24	2	0.72	7.74	30	21.60	232.41	80x120x75	31x48x29	1,150	2,530
2	3/4"	60x120	24x48	1	0.72	7.74	32	23.04	247.91	93x128x75	36x50x29	1,250	2,750
1 inch = 2.54 cm		1 cm = 0.39 Inch		1 lb = 0.45 Kg		1 kg = 2.20 lb		1 m <sup>2</sup> = 10.76 sf		1 sf = 0.09 m <sup>2</sup>			

\*\* Decovita USA provides Freight Service if required, by LTL needed.  
 For more details and delivery for different locations please contact to Sales Representative.

# DECOVITA OUTDOOR 2 CM

Method	Declared Value
The ASTM C373 Water Absorption	≤ 0.3 %
The ASTM C648 Breaking Strength	≥ 2200 lbf
The ASTM C650 Chemical Resistance	Resistant
The ASTM C1026 Freeze-Thaw	Resistant
The ASTM C1027 Surface Abrasion (PEI)	Min Class 4
The ASTM C1378 Stain Resistance	Min Class B
ANSI A326.3 Dynamic Coefficient of Friction (DCOF – wet only)	≥ 0.79
ASTM 1895 Mohs Scratch Hardness	Min 7
Length and width	± 0.15%
Thickness	± 0.5%
Straightness of Sides	± 10 %
Rectangularity	± % 0.25 (± 1 mm)
Center-Edge Curvature-Warpage	± % 0.25 (± 1 mm)
Surface Quality	% 95



**DECO|VITA** PorcelainTile

**USA HEADQUARTERS & VIRGINIA SALES and DISTRIBUTION CENTER**

22675 Dulles Summit Ct Suite 125 Sterling VA 20166 Office: (+1) 571 926 8326  
Monday - Friday: 8:00 AM - 5:00 PM Saturday-Sunday: Closed

**CALIFORNIA SALES and DISTRIBUTION CENTER**

1623-1625 S. Sunkist St, Anaheim, CA 92806 Office: (+1) 714 406 1500  
Monday - Friday: 8:00 AM - 5:00 PM Saturday-Sunday: Closed

**TEXAS SALES and DISTRIBUTION CENTER**

5870 W. Fuqua St Suite #100 77085 Houston Texas Office: (+1) 281 915 0884  
Monday - Friday: 8:00 AM - 5:00 PM Saturday-Sunday: Closed

[www.decovitausa.com](http://www.decovitausa.com)